

SAFETY DATA SHEET MANGANESE SULPHATE

Page 1 Issued: 11/05/2015 Revision No: 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product identifier:

Product name: MANGANESE SULPHATE

Product No.: M05

REACH Registration number: 01-2119456624-35

REACH Registration notes: According to REACH Annex V, paragraph 6; the hydrates of a substance are covered by the

registration of the anhydrous material.

CAS-No.: 10034-96-5 **EU Index No.:** 025-003-00-4 **EC No.:** 232-089-9

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Construction Products. Fertilisers. Base metals and alloys. Cosmetics personal care products.

Surface Treatment Products. Water Treatment. Washing and Cleaning Products. Chemical Processing Aids. "Leather tanning, dye, finishing, impregnation and care products". Unloading, packaging and cleaning at industrial sites. Some grades of this substance are available for

feed/food use; (E5) Feed additive.

Uses advised against: The identified uses have process categories which are advised against – see annex to the

SDS.

Company name: Nexchem Ltd

Unit 1 Underwood Court

Elm Tree Avenue

Glenfield Leicester Leicestershire LE3 8SG

Tel: 0116 2311130 Fax: 0116 2311124

Emergency Tel: +44 (0) 116 2877916 or +44 (0) 7714 303742 (24 Hours)

Email: sales@nexchem.co.uk

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Classification (EC 1272/2008): Physical and Chemical Hazards Not classified.

Human health Eye Dam. 1 - H318;STOT RE 2 - H373

Environment Aquatic Chronic 2 - H411

Classification (67/548/EEC): Xn;R48/20/22. N;R51/53.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Label elements:

EC No.: 232-089-9 Label In Accordance With (EC) No. 1272/2008







Signal Word: Danger

Hazard Statements: H318 Causes serious eye damage.

H373 May cause damage to organs Brain through prolonged or repeated exposure if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements: P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with regional regulations.

Supplementary Precautionary Statements: P310 Immediately call a POISON CENTER or doctor/physician.

P391 Collect spillage.

Other hazards: This product does not contain any PBT or vPvB substances.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substances:

Product name: MANGANESE SULPHATE

REACH Registration number: 01-2119456624-35

REACH Registration notes: According to REACH Annex V, paragraph 6; the hydrates of a substance are covered by the

registration of the anhydrous material.

CAS-No.: 10034-96-5
EU Index No.: 025-003-00-4
EC No.: 232-089-9
Gross Formula: MnSO4

Ingredient notes:Substance is inorganicComposition Comments:Purity >90, <100% w/w</th>

4. FIRST AID MEASURES

Description of first aid measures:

General information: Get medical attention if any discomfort continues.

[cont...]

SAFETY DATA SHEET MANGANESE SULPHATE

Issued: 11/05/2015 Page 3

Inhalation: Move the exposed person to fresh air at once. Get medical attention. Provide rest, warmth and

fresh air. When breathing is difficult, properly trained personnel may assist affected person by

administering oxygen.

Ingestion: DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR

DRINK FLUIDS! Remove victim immediately from source of exposure. Drink plenty of water.

Get medical attention immediately! Provide rest, warmth and fresh air.

Skin contact: Remove affected person from source of contamination. Get medical attention promptly if

symptoms occur after washing. Remove contaminated clothes and rinse skin thoroughly with

water.

Eye contact: Remove victim immediately from source of exposure. Make sure to remove any contact lenses

from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids.

Get medical attention immediately. Continue to rinse.

Most important symptoms and effects, both acute and delayed:

Inhalation: Irritation of nose, throat and airway. Prolonged or frequent inhalation of vapours in high

concentrations may cause permanent damage to the nervous system, including the brain.

Ingestion: May cause gastrointestinal irritation. Diarrhoea, nausea, vomiting.

Skin contact: May cause skin irritation/eczema. (The hazard is low for usual industrial handling).

Eye contact: May cause blurred vision and serious eye damage.

Indication of any immediate medical attention and special treatment needed: No specific first aid measures noted.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials. Water spray, fog or mist.

Unsuitable extinguishing media: Extinguishers of the chlorinated hydrocarbon variety are not recommended as toxic products

may be produced by the decomposition of the extinguishing medium when it comes into

contact with hot manganese compounds.

Special hazards arising from the substance or mixture:

Specific hazards: When heated and in case of fire, irritating vapours/gases may be formed. In case of fire, toxic

gases may be formed.

Advice for fire-fighters:

Special fire-fighting Procedures: Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of

fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Provide adequate ventilation. Use protective gloves,

goggles and suitable protective clothing.

Environmental precautions: Do not discharge onto the ground or into water courses.

Methods and material for containment and cleaning up: Do not contaminate water sources or sewer. Remove spillage with

vacuum cleaner. If not possible, collect spillage with shovel, broom or the like. Ensure that waste and contaminated materials are collected and removed from the work area as soon as

possible in a suitably labelled container.

Reference to other sections: Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for

additional information on health hazards.

7. HANDLING AND STORAGE

Precautions for safe handling: Avoid spilling, skin and eye contact. Use mechanical ventilation in case of handling which

causes formation of dust. Avoid inhalation of dust. Wash hands before eating. Wear full

protective clothing for prolonged exposure and/or high concentrations.

Conditions for safe storage, including any incompatibilities: Store in a cool and well-ventilated place. Store in a dry place.

Keep containers tightly closed.

Specific end use(s): For further information see attached Exposure Scenario. The identified uses for this product

are detailed in Section 1.2.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
MANGANESE SULPHATE	WEL	0,5 mg/m3		
WEL = Workplace Exposure Limit.				

DNEL:

Industry	Dermal	Long Term	4.14	μg/kg/day
Industry	Inhalation.	Long Term	0.2	mg/m3
Consumer	Dermal	Long Term	2.1	μg/kg/day
Consumer	Inhalation.	Long Term	0.043	mg/m3

DNELs for the oral route, all "acute effects" and for "long-term local-effects" were not calculated and are not required for the "identified uses" covered in this SDS and the Chemical Safety Report (CSR).

PNEC:

Freshwater	0.0128	mg/l
Marinewater	0.4	μg/l
Spills(freshwater)	30	μg/l
Sediment (Freshwater)	11.4	µg/kg
Sediment (Marinewater)	1.4	µg/kg
Soil	25.1	mg/kg
STP	56	mg/l

Soil & sediment PNEC values are mg/kg wet weight.

Exposure controls:

Protective equipment:







Engineering measures: Provide adequate general and local exhaust ventilation. Provide adequate ventilation. Observe

occupational exposure limits and minimize the risk of inhalation of dust. The risk management measures that adequately control exposure of the environment are set out in the exposure

scenarios in the annex to this Safety Data Sheet.

Respiratory equipment: Respiratory protection must be used if air contamination exceeds acceptable level. In case of

inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with

particle filter (type P2).

Hand protection: Use suitable protective gloves if risk of skin contact. Wear suitable chemical resistance gloves

approved to EN 374.

Eye protection: Wear tight-fitting goggles or face shield. Recommended: EN 166.

Other Protection: Provide eyewash, quick drench.

Hygiene measures: DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or

smoke.

Personal protection: For further information see attached Exposure Scenario.

Skin protection: Wear appropriate clothing to prevent reasonably probable skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:

Appearance: Powder, dust

Colour: Pale pink.

Odourless.

Solubility: Soluble in water.

Initial boiling point and boiling range (°C): 850 °C 760 mm Hg

Melting point (°C): Scientifically unjustified.

Unjustified as the melting point > 300°C.

Relative density: 2.95 [cont...]

Vapour pressure:1x 10^(-6) Pa 20°CEvaporation rate:Scientifically unjustified.Viscosity:Technically not feasible.

Solubility Value (G/100G H2O@20°C): 450

Decomposition temperature (°C): No information available. **Flash point (°C):** Scientifically unjustified.

Not Applicable - Inorganic chemical.

Auto Ignition Temperature (°C): Scientifically unjustified.

This product is not flammable.

Partition Coefficient (N-Octanol/Water): Scientifically unjustified.

Not Applicable - Inorganic chemical.

Oxidising properties: Does not meet the criteria for oxidising.

Other information: Mol. Weight 15

10. STABILITY AND REACTIVITY

Reactivity: There are no known reactivity hazards associated with this product.

Chemical stability: Stable under the prescribed storage conditions.

Possibility of hazardous reactions: Not known.

Conditions to avoid: Water, moisture. Toxic gases are generated when heated.

Incompatible materials:

Materials To Avoid: Strong acids. Strong oxidising substances. Powdered metal. Inorganic peroxides.

Hazardous decomposition products: Sulphurous gases (SOx). Oxides of: Manganese.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects:

Acute toxicity:

Acute Toxicity (Oral LD50): 2150 mg/kg Rat

Test method(s): Indian Journal of Pharmacology, 23(3): 153-159. REACH dossier information. Based on

available data the classification criteria are not met.

Acute Toxicity (Dermal LD50): Not determined.

Dermal absorption is unlikely due to the physical-chemical properties of the substance.

Acute Toxicity (Inhalation LC50): > 4.45 mg/l (dust/mist) Rat 4 hours

Test method(s): OECD 403. Based on available data the classification criteria are not met.

Skin Corrosion/Irritation: Erythema\eschar score

No erythema (0). Oedema score No oedema (0).

Test method(s): OECD 404.

Not irritating.

Serious eye damage/irritation: Irritating. Test method(s): OECD 405. Irritation score: 36 / 110. [cont...]

Respiratory or skin sensitisation: Skin sensitisation

Patch Test: Mouse Not Sensitising.

REACH dossier information.

Germ cell mutagenicity: Genotoxicity - In Vitro

Gene Mutation: REACH dossier information - A surrogate substance (Manganese chloride) was used.

Test method(s): OECD 476. + 471.

Negative.

Genotoxicity - In Vivo:

Chromosome aberration: REACH dossier information - A surrogate substance (Manganese chloride) was used.

Test method(s): OECD 474.

Negative.

Carcinogenicity: NOAEL (3) 615 mg/kg Oral Rat

NOAEL (♀) 715 mg/kg Oral Rat

REACH dossier information: Test method(s): 70 male and 70 female rats were fed diets containing 0, 1, 500, 5, 000, or 15,

000 ppm manganese (II) sulphate monohydrate for 103 weeks. The level of manganese in the diet received by controls was approximately 92 ppm. As many as 10 rats per group were

evaluated after 9 months and 15 months of chemical exposure. Based on available data the

classification criteria are not met.

Reproductive Toxicity - Fertility: Endpoint waived according to REACH Annex VII, IX or XI.

Testing waived because a more severe health effect was found (STOT-RE class2). Controlling

the risk of 'STOT-RE class 2' will control the risks for this endpoint.

Suspected reproductive toxicant based on limited evidence.

Reproductive Toxicity - Development: Endpoint waived according to REACH Annex VII, IX or XI.

Testing waived because a more severe health effect was found (STOT-RE class2). Controlling

the risk of 'STOT-RE class 2' will control the risks for this endpoint.

Suspected reproductive toxicant based on limited evidence.

Specific target organ toxicity - single exposure:

STOT - Single exposure: Scientifically unjustified.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure Not determined.

Target Organs: Brain

MnSO4 is already classified under Directive 67/548/EEC as R48/20/22 and under GHS as STOT RE2. Data exists showing some neurochemical changes at low levels after inhalation exposure for 90-days, together with loco motor changes, around 3 mg/m3 concentration, suggesting that significant toxicity could occur at the 20-200 mg/m3 concentration level, which

supports the current classification of STOT RE 2 for the inhalation route.

Aspiration hazard:

Viscosity: Not applicable.

Inhalation: Prolonged inhalation of high concentrations may damage respiratory system.

Ingestion: May cause discomfort if swallowed.

Skin contact: Powder may irritate skin.

Eye contact: Particles in the eyes may cause irritation and smarting.

Route of entry: Inhalation.

Target Organs: Brain, eyes, respiratory system, lungs, skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity:Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity:

Acute Toxicity – Fish: LC50 96 hours 14.5 mg/l Onchorhynchus mykiss (Rainbow trout)

REACH dossier information

Acute Toxicity - Aquatic Invertebrates: EC50 48 hours 9.8 mg/l Daphnia magna

A surrogate substance (Manganese chloride) was used. The units are expressed in 'mg/µg' of:

Manganese. REACH dossier information

Acute Toxicity - Aquatic Plants: EC50 72 hours 61 mg/l

Desmodesmus subspicatus (algae). Test method(s): OECD 201. REACH dossier information.

Chronic Toxicity - Aquatic Invertebrates: Not applicable.

A variety of tests have indicated that a classification more severe than Aquatic Chronic 2 is not

required (CSR 2010). REACH dossier information.

Persistence and degradability:

Degradability: The product contains persistent (not readily degradable) substances.

Photo transformation: Not applicable.

Stability (Hydrolysis): Not applicable.

Biodegradation: Not Applicable - Inorganic chemical.

Bioaccumulative potential: Bioaccumulation of this product is not expected to occur.

Partition coefficient: Scientifically unjustified.

Not Applicable - Inorganic chemical.

Mobility in soil:

Mobility: An adsorption / desorption study on Manganese (2+) has been conducted in 35 soils following

the OECD sorption guideline. Data for 100 day incubations show that, as expected, the sorption is pH sensitive. A median Kd value of 1355 ml/g has been determined for all soils

(pH range 3.0-8.5).

Results of PBT and vPvB assessment: This product does not contain any PBT or vPvB substances.

Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods: Dispose of waste and residues in accordance with local authority requirements. Residues and

empty containers should be taken care of as hazardous waste according to local and national

provisions.

14. TRANSPORT INFORMATION

UN number:

UN No. (ADR/RID/ADN): 3077
UN No. (IMDG): 3077
UN No. (ICAO): 3077

UN proper shipping name:

Proper Shipping Name: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Manganese

Sulphate) 9, III, (E).

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Transport hazard class(es):

ADR/RID/ADN Class Class 9: Miscellaneous dangerous substances and articles.

ADR Label No.: 9
IMDG Class: 9
ICAO Class/Division: 9

Transport Labels:



Packing group:

IMDG Packing group: ||| ICAO Packing group: |||

Environmental hazards:

Environmentally Hazardous Substance/Marine Pollutant:



Special precautions for user:

EMS: F-A, S-F

Emergency Action Code: 2Z

Hazard No. (ADR): 90
Tunnel Restriction Code: (E)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Guidance Notes: Workplace Exposure Limits EH40.

EU Legislation: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December

2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

Chemical Safety Assessment: A chemical safety assessment has been carried out.

Note: The regulatory information given above only indicates the principal regulations specifically

Applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all

applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk Phrases In Full: R48/20/22 Harmful: danger of serious damage to health by prolonged exposure through

inhalation and if swallowed.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Hazard Statements In Full: H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Legal disclaimer: The information contained in this SDS does not constitute a risk assessment, and should not

replace the user's own assessment of risks as required by other health and safety legislation. This advice is given by Nexchem Ltd who accept no legal liability for it except otherwise

provided by law. The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety

requirements. It should not therefore be construed as guaranteeing specific properties.

[final page]